

Product Safety Data Sheet

1. Chemical product and company identification

1.1. *Prepared Date* : Feb. 20 . 2023

1.2. *Product information* : -

Trade name : Emactin -50 E.C.

1.3. *Information about manufacturer / supplier* :

Saudi Delta Company for Chemical Industries

Riyadh – Saudi Arabia – 3rd Industrial City

Tel. 00966-11-2654533 Fax. 00966-11-2654532

P.O. Box 355809 Riyadh 11383 Saudi Arabia

2. Information on ingredients

2.1. *Chemical properties (Component substances)*

The product is a mixture of one active ingredient , emulsifiers , Co- solvent, and Solvent.

- Emamectin Benzoate : 5 % w/v (Non-systemic Insecticide
- Emulsifiers: 7% w/v (Anionic / non- ionic type)
- Aromatic Solvent: Up to 100% v

2.1.1. **Emamectin Benzoate :**

- **Chemical Name:** (IUPAC) name

A mixture containing 90% of (10E, 14E, 16E, 22Z)-(1R, 4S, 5'S, 6S, 6'R, 8R, 12S, 13S, 20R, 21R, 24S)-6'-[(S)-sec-butyl]-21,24- dihydroxy-5', 11, 13, 22-tetramethyl-2-oxo-3, 7, 19-trioxatetracyclo [15.6.1.14,8.020,24]pentacosa-10, 14,16,22- tetraene-6-spiro-2'-(5', 6'-dihydro-2' H-pyran)-12-yl 2,6-dideoxy-3-O-methyl-4-O-(2, 4, 6- trideoxy-3-O-methyl-4-methylamino- α -L-lyxo-hexopyranosyl)- α -L-arabino-hexopyranoside and 10% of (10E, 14E, 16E, 22Z)-(1R, 4S, 5'S, 6S, 6'R, 8R, 12S, 13S, 20R, 21R, 24S)-21, 24-dihydroxy-6'-isopropyl-5', 11, 13, 22- tetramethyl-2-oxo-3, 7, 19-trioxatetracyclo[15.6.1.14,8.020,24]pentacosa-10, 14, 16, 22-tetraene-6-spiro-2'(5',6'- dihydro-2'H-pyran)-12-yl 2,6-dideoxy-3-O-methyl-4-O-(2, 4, 6-trideoxy-3-O-methyl-4-methylamino- α -L-lyxo-hexopyranosyl)- α -L-arabino-hexopyranoside

- **CAS No.** : 119791-41-2

- **Mol. Formula** : C₅₆H₈₁ NO₁₅ (B1a) ; C₅₅H₇₉ NO₁₅ (B1b)

- **Physical Form** : White to off-white powder

- **Melting Point** : 141-146 °C (tech.)

- **Vapour Pressure:** 4×10^{-3} mPa (21 °C)
- **Solubility** : In water 0.024 g/l (Ph 7 , 21°C) .

2.1.2. Emulsifiers :

A combined anionic/nonionic emulsifiers specially intended for formulation of pesticide .

Composition : 15-30% calcium dodecyl benzenesulfonate .
10-20% n-Butanol .
30-60% polyalkyleneoxidederivative .

Appearance : Clear yellow-brown liquid and cloudy yellow liquid

Density : 0.99-1.01 gm/ml (20 °C)

Flash point : 37 °C .

Pour point : 2-3 °C .

Viscosity : 1150 mPa s .

Solubility : Soluble in Isopropanol , Octanol , water , and exylene in soluble in kerosene and mineral oil

2.1.3. Aromatic Solvent:

CAS No. : 68920-06-9 **SHA :** 086803

Composition : Dimethylbenzene (ortho , meta , and para isomers).

Properties : Volatile . Petroleum distillate (75-100% aromatic hydrocarbon) , B.P. : 175-300 °F

3. Hazard Identification

- 3.1. Dangerous Substances :** Moderately hazardous (Emamectin) .
- 3.2. Important Hazardous :** Solvent may be present aspiration hazardous .
- 3.3. Signs and Symptoms of over-exposure :** Headache , dozzomess ; restlessness ; anxiety; mental confusion, convulsions; coma; depression of the respiratory center. These symptoms can occur in different combinations and time of on set sequence, and duration may very depending on the chemical, dose, and route of exposure.

4. First aid Measures

Eyes : immediately flush for 15 minutes with large amount of water .

Skin : remove all contaminated clothing atonce ; thoroughly wash with soap and water

Ingestion : Don't induce vomiting or administer liquids .
Vomiting should be induced only under professional supervision. Keep patient prone and quiet . Only a physician

should induce vomiting as first aid for this slightly toxic substance due to increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent .

5. Fire Fighting Measures

5.1. Extinguishing media :

- 5.1.1. Suitable: Carbon dioxide, foam, water fog, dry chemical and halogenated agent.
- 5.1.2. Not to be used: Don't use water except in case important fire.
- 5.1.3. Protection against fire: Keep a way from sources of ignition.

6. Accidental Release Measures

6.1. *Personal precautionary measures :*

- 6.1.1. **Respiratory protection** : In case of insufficient ventilation wear apesticide respirator jointly approved by the local authorities .
- 6.1.2 **Protective gloves** : wear heavy duty , natural rubber gloves , or chemical resistant gloves such as Barrier laminate or Nitrile Rubber or. Neoprene rubber or viton .
- 6.1.3 **Eye protection** : wear safety goggles .
- 6.1.4. **Other protection** : wear water-proff pants , coat , hat , rubber boots or ruber overshoes.

6.2. *Environmental Precaution* : Stop any eventual leakage.

6.3. **After spillage / leakage on soil**: Liquid spillage should be dammed off and pumped into containers; soak up remainder with absorbent material and dispose of in accordance with local regulations .

7. Handling and Storage

- 7.1. Don't apply when weather conditions favor drift from treated area. Don't contaminate lakes, streams, ponds. When using don't eat, drink, or smoke. Don't breath spray. Wash hands and exposed skin before meals and after work. Wash out container thoroughly and dispose of safety. Store in original container in a cool, dry, well-ventilated, secure area out of reach of children and animals store in original container, tightly closed in a safe place.

8. Exposure controls , Personal Protections .

- 8.1. **Personal Protection:** Don't breath spray, after treatment, wash and change clothes prior anything else like eating, drinking, or smoking.
- 8.2. **Respiratory Protection :** Wear a suitable mask.
- 8.3. **Skin Protection :** Wear a suitable protective clothing mask.
- 8.4. **Eye Protection :** Wear eye, face protection.
- 8.5. **Ingestion :** Don't eat, drink, or smoke during application.

9. Physical and chemical properties

- 9.1. Shape : Liquid
- 9.2. Color : Clear yellowish
- 9.3. Odor : Aromatic odour
- 9.4. Product Use : Insecticide
- 9.5. Melting point : Not applicable
- 9.6. Boiling point : 175 - 300°F
- 9.7. Specific gravity (20°C) : 0.89
- 9.8. Vapor pressure : Not available
- 9.9. Viscosity (CPS) 25 °C : 25
- 9.10. Solubility in water : Forms white emulsion
- 9.11. Flash point (closed cup) : 40 °C
- 9.12. PH (1% aq. Emul.) w/v : 6.2
- 9.13. Flammable limits : Not available

10. Stability and Reactivity

10.1. Hazardous Decomposition :

Deltalym-5% EC is stable under normal conditions 25°C , stable in neutral and slightly acidic media .

10.2. Dangerous products of decomposition :

(soil and water) binds tightly to soil , with rapid degradation by soil microorganisms No bioaccumulation .

11. Toxicological Information

- 11.1. Acute oral LD50 for rats 76-89 mg/kg .
- 11.2. Acute dermal LD50 for rabbits > 2000 mg/kg.
no irritating to skin (rabbits).
- 11.3. ADI (JMPR) 0.0025 mg/kg b.w
- 11.4. Toxicity class : (WHO) II
- 11.5. Other : Non mutagenic
- 11.6. NOEL : (1y) for dogs 0.25 mg/kg b.w

12. Ecological Data

12.1. Birds : Acute oral LD50 for mallard ducks 46 ,bobwhite quail 264 mg/kg .

12.2. Fish : LC50 (96 hr) for rainbow trout 174 , sheepshead minnows 1430 µg /L .

12.3. Bees : Toxic to bees.

12.4. Daphnia : LC50 0.99 µg /L .

12.5. Other aquatic spp. : Safe to a wide range of beneficial insects , due to rapid breakdown of the a.i limiting contact activity to <48h

13. Disposal Considerations

13.1. Pesticides Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of use according to label instructions contact.

Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

13.2. Container disposal

13.2.1. Metal containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by local authorities. Do not cut or weld metal containers.

13.2.2. Plastic containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by authorities, by burning. If burned, stay out of smoke.

13.2.3. Returnable / Refillable Sealed Containers: Don't rinse container. Do not empty remaining formulated product. Do not break seals. Return intact to point of purchase.

14. Transport Information

UN No. : 1992

IMO CLASS: 3

UN PROPER SHIPPING NAME : FLAMMABLE LIQUID, TOXIC , N.O.S

GGVE/GGVS : 3

IATA/ICAO : 3

RID/ADR : 3

IMDG-Code : 3

PACKING GROUP : III

15. Regulatory Information

15.1. **Toxicity Classifications :** Moderately Hazardous

Warning Symbol :

X

15.2. R-Phrase

R21/22 : Harmful in contact with skin and if swallowed

R36/38 : Irritating to eyes and skin .

R10 : Flammable

R20 : Harmful by inhalation

15.3 S-Phrase

S22 : Don't breath dust .

S26 : In case of contact with eyes , rinse immediately with plenty of water and seek medical advice .

S37/39 : Wear suitable gloves and eye / face protection ..

S25 : Avoid contact with eyes .

16. Other Information

The producer warrants the quality of this product in the original closed packaging , and of its conformity with authority agreement during 2 years .